
# GARDEN TRACTOR PARTS MANUAL

LANDLORD GTH Series 1700 Series 2700 Series

Attachments & Accessories



### Product Identification:

		number and manufacturer's numbe at serial number to be listed in the p		
Record your I.D. numbers	here for quick, future	reference,	•	
Droduct Ma. Mo.	©.M1	Mayor Ma No	CBI	

Attention: Standard torques appear in a chart at the end of the manual, while important individual torques are given on specific parts drawings.

CRITICAL and MAJOR notations point out important facts or instructions which relate to personal safety and proper machine operation. Any CRITICAL notation which may appear in this book, pinpoints characteristics which, if not properly followed, can create a safety hazard. Any MAJOR notation M which may appear in this book, marks characteristics which, if not properly followed, may result in operating fallure, shortened product life, or greatly reduced quality of the unit. For your convenience, assembly notes are included in parts drawings to assist in repair and assembly of unit.

### SIMPLICITY BRAND PRODUCTS

### OILS - SPECIFICALLY BLENDED OF HIGH QUALITY BASE OILS & ADDITIVES.

Special Worm Gear Oil: Required for protection of brass gears and mating parts.

 Cold Weather Worm Gear Oil for snowthrowers with worm. gear drive. 8 Oz. Bottle, Part #1704635, Case of 12-8 Oz. Bottles, Part #1685406.

Multi-Purpose Hydraulic/Transmission Oil for use in most hydraulic applications, and hydrostatic transmissions. Specific Simplicity applications: All hydrostatic transmissions, all bevel gear cases. Case of 12 Quarts, Part #1685516, 2-1/2 Gallon Container, Part #1685539.

SAE 5W-30 SF/CD Cold Weather Engine Oil for use in all four cycle and diesel engines at 30° temp, and under. Case of 12 quarts, Part #1685576.

SAE 15W-40 SF/CD Engine Oil for gas and diesel engines, warm weather; see engine manufacturer recommendations. Case of 12 quarts, Part #1685554.

SAE 30W SG/CC Detergent Engine Oil for use in four cycle lawn. and garden engines at operating temp, of 32° and above. Also recommended for use in hydrostatic transmissions where 30W oil is specified. Case of 12 quarts, Part #1685659.

DEGREASER, DEGRIMER, PARTS CLEANER removes grease, oil, dirt and grime without harming paint or decals.

1 Quart w/Trigger Spray

1685619

1 Gallon Bottle

1685621

Extension Sprayer for

Gallon Bottle

1685623

TOUCH-UP PAINT keeps equipment in showroom condition.

Spray Cans	Quarts	Daubers-12 Per Ctn.
For Products Built After 8	3/1/89.	
"Deep Orange" 13 Oz. Can 1685611 Case 12 Cans 1685614	1685612	1685616 Mixed 6 Deep Or./ 6 White 1/2 Oz. Bottles
"Gloss Black" 13 Oz. Can 1685639 Case 12 Cans 1685640	1685641	N/A
"White" 13 Oz. Can 103049 Case 12 Cans 1685178	1685032	See Above
"Red" 13 Oz. Can 1685722	N/A	N/A

Consult decal on equipment for proper color.

# AVAILABLE ACCESSORIES:

DESIGNER SEAT COVERS are double stitched, easy care vinyl. Keeps new seats new, makes worn seats look new.

Small Seat Cover w/Pocket, Part #1685540. Fits all Rear Engine Riders, FC, RT Series Tractors.

Large Seat Cover w/Pocket, Part #1685541. Fits all 12.5 & 16 LT and GT Series Tractors.

Seat Cover, Part #1685577. Fits all 18 & 20 GTH Tractors. PNEUMATIC TIRE SEAL seals all leaks including bead leaks and punctures up to 3/16 inch diameters. Prevents flats for tread life of tire. Available in following amounts.

> Case of 12 -11 Oz. Tubes 1685537 Case of 24 -11 Oz. Tubes 1685525 5 Gallon Pail 1685527

HOUR METER KIT, Part #1685535.

GREASE GUN KIT has 12" flexible hose to get into tight spots with ease. Kit contains: gun and 1-8 Oz. tube of grease. Part #1685510. For replacement tube, order Part #103077.

### CHROME "Moon" Hubcaps

4" Rim	163114
6" Aim	156210
8" Rlm	156211
10" Rim	1667782
12" Rim:	154505


# **Table of Contents**

Mfg. No.	Description.	Page
1600236	Dump Cart, 6.5 Cu. Ft	4
1691352	Weights, Rear Wheel	6
1691520	42" Dozer Blade	8
1691522	42" Snowthrower	
	Body & Rotor Group	В
	Drive Group	10
	Spout Group	12
1691837	Front Counterweight	6
1691868	44" Turbo Blower	
	Turbo Housing Group	16
	Arbor & Deflector Group	18
1691897	Dump Cart - 7 Cu. Ft	4
1691978	36" Tiller	
	Deflector & Tiлe Group	20
	Housing Group	22
	Hitch Group	
	Drive Group	
1691979	36" Tiller Adapter Kit	
	Hitch Group	28
	Drive Group	
1691986	Dump Cart, 6.5 Cu. Ft	
1692010	Rear Attachment Hitch	32
1692028	Weight Box	34
1692029	Turbo Twin Bag Catcher	
	Cover Group	36
	Hitch Group	
	Tube Group	
1692030	50" Turbo Blower	
	Turbo Housing Group	16
	Arbor & Deflector Group	
1692031	Quad Bagger Dump Cart, 13 Cu. Ft.	
	Dump Cart Group	42
	Hitch Group	
1692032	Electric Lift Kit	
	Bracket & Lift Group	
	Power Lift Assembly	
1692039	Dozer Blade Hitch	50
1692040	Snowthrower Hitch - Electric Lift	
	Hitch Group	
	Bracket & Lift Rod Group	
1692041	Snowthrower Hitch - Manual Lift	
	Hitch GroupBracket & Lift Rod Group	
	DIQUKEL α LIIL RUU GI VKD	

# **Table Of Contents**


1692085	Wide Body Cart, 17 Cu. Ft.	
	Cart Group	56
	Hitch & Tube Group	
1692087	Quad Bagger, for 44" Mower	
1692090	44" Mulching Kit	
1692091	50" Mulching Kit	
1692099	Quad Bagger for 50" Mower	
1692356	40" Snowthrower	
	Frame, Drive & Gearbox Group	64
	Hitch Support Group	
	Chute & Handcrand Croup	
	Lift Group	
	Decal Group	

# Notes



NOTE: Unless noted otherwise, use the standard hardware torque specification chart located on the inside back cover.

Ref.	Part	_	
No.	No.	Qty.	Description
1	102005	1	PLATE, Box Guide
2	102024	i	PIVOT ASSY., Box
3	102027	1	AXLE ASSY.
4	102035	1	FRAME ASSY.
5	102037	1	TONGUE ASSY.
6	102040	1	PLATE, Box Catch
7	102051	1	CLEVIS ASSY.
8	102075	1	SPRING, Torsion
9	1713992	2	WHEEL & TIRE ASSY., Dico Tires
_		_	(Incl. Ref. Nos. 10, 11, 12, 13)
	170320	2	WHEEL & TIRE ASSY., Carlisle Tires
		_	(Incl. Ref. Nos. 10, 11, 12, 13)
10	1713994	2	TIRE, Dico
	102052	2	TIRE. Carlisle
11	153038	2	TUBE, 4.00 x 8
12	1713167	4	BEARING
13	1713993	2	WHEEL
14	8151076	2	BUSHING
15	102004	2	PIN, Pivot
16	105249	1	PIN
17	1921210	2	CAPSCREW, Hex, 3/8-16 x 1
18	916950	6	NUT, Hex, Full, 3/8-16
19	916965	6	LOCKWASHER, 3/8
20	1924940	3	WASHER, 3/8
21	1921978	2	CAPSCREW, 5/16-18 x 2
22	1920415	2	CAPSCREW, Hex, 3/8-16 x 1-1/4
23	1918196	3	PIN, Quick
24	1918433	2	WASHER, Plain, 3/4
25	1918459	2	PiN, Cotter, 3/16 x 1-1/2
26	1922130	2	CAPSCREW, Hex, 3/8-16 x 2-1/4
27	1923362	2	NUT, Hex, Full, 5/16-18
28	1930651	1	NUT, Hex, Centerlock, 3/8-16
29	1930596	1	CAPSCREW, Hex, 3/8-16 x 2-3/4
30	1668478	1	TRAILER & END GATE ASSY.
31	1668462	1	GATE END




Front Counterweight

Ref. No.	Part No.	Qty.	Description
1	1667494	2	ROD, Threaded, 1/2 - 13 x 8.00, Full Thread
2	1001 101	ī	WEIGHT, Wheel (Order WholeGoods 1691352, Incl. Ref. Nos. 1-5)
3	1960027	2	WASHER, Flat, 1/2
4	1916951	6	NUT, Hex, 1/2 - 13
5	1916966	4	LOCKWASHER, Spring, 1/2


Mfg. No. 1691837

# Front Counterweight

Ref. No.	Part No.	Oty.	Description
1	176012	1	SAFETY CLIP
2		1	WEIGHT ASSY.
3	1704792	1	(Order WholeGoods 1691837, Incl. Ref. Nos. 1-3) ROD, Hitch



Ref.	Part			
No.	No.	Qty.	Description	
1	1709817	1	BLADE ASSY.	
2		1	I. D. PLATE	
3	1917372	4	NUT, Hex, Full, 5/16-18	
4	1675198	2	EYEBOLT	
5	101126	2	SPRING, Tension	
6	1709818	1	FRAME ASSY., Pivot	
7	1922134	2	NUT, Hex Lock, 1/2-13	
8	105051	2	SPACER	
9	1920328	2	CAPSCREW, Hex, 1/2-13 x 1	
10	107106	2	SHOE ASSY.	
11	1924940	4	WASHER, Plain, 3/8	
12	1916965	10	LOCKWASHER, 3/8	
13	1921965	4	CAPSCREW, Hex Hd., 3/8-16 x 3/4	
14	107045	1	PLATE, Wear	
15	1916950	6	NUT, Hex Full, 3/8-16	
16	1931350	6	CARRIAGE BOLT, 3/8-16 x 1	



Ref. No.	Part No.	Qty.	Description
1	1713542	1	BODY & FRAME ASSY.
2	1713424	2	SKID
3	1924940	4	WASHER, Plain, 13/32
4	1916965	5	LOCKWASHER, 3/8
5	1916950	5	NUT, Hex, Full, 3/8-16
6	106746	1	SCRAPER, Body
7	1676632	1	PLATE, Side
8	173934	2	BEARING, Cartridge
9	1921332	8	CAPSCREW, Hex, 5/16-18 x 3/4
10	106653	1	SPROCKET, Rotor
11	1928721	1	SETSCREW, 5/16-18 x 5/16
12	172278	2	FLANGE, Bearing
13	172279	2	FLANGE, Bearing
14	151040	1	KEY
15	106748	1	ROTOR ASSY.
16	1923358	8	NUT, Hex, Lock, 1/4-20
17	1916964	2	LOCKWASHER, 1/4
18	1923362	3	LOCKNUT, Hex, 5/16-18
19	1931348	4	CARRIAGE BOLT, 3/8-16 x 3/4
20	1917356	4	LOCKWASHER, 5/16
21	1917372	4	NUT, Hex, Full, 5/16-18
22	1921959	10	CAPSCREW, Hex, 1/4-20 x 5/8
23	106774	1	DEFLECTOR
24	1925205	4	CAPSCREW, Hex, 5/16-18 x 5/8
25	1919326	2	WASHER, Plain, 11/32
26	1679206	1	DECAL, Safety
27	171388	1	BEARING
28	1701917	1	LEVER ASSY.
29	1675232	1	<b>SPRING</b>
30	1656835	1	CHAIN, 3-Link
31	1924356	2	WASHER
32	176934	1	GRIP
33	108717	1	SPACER
34	1921977	1	CAPSCREW, 5/16-18 x 1-1/4
35	1921969	1	CAPSCREW, Hex, 3/8-16 x 1-1/2
36	1919381	2	WASHER, Plain, 5/16
37	1922755	1	WASHER
38		1	I. D. PLATE
39	1701940	1	DECAL, Caution
40	1935048	6	NUT, Hex, Flange, Lock, 5/16-18
41	1677485	1	DECAL, Safety
42	1916622	2	NUT, Hex, 1/4-20

# A CAUTION

## TO AVOID POSSIBLE INJURY

- REFER TO OPERATOR'S MANUAL FOR SAFETY
  AND OPERATOR'S MANUAL FOR SAFETY
  AND OPERATOR'S MANUAL FOR SAFETY
  AND OPERATOR'S MANUAL FOR SAFETY
  STOP ENDINE REMOVE KEY, AND BE SURE
  ALL MOVING PARTS HAVE COME TO A
  COMPLETE STOP BEFORE SERVICING OR
  UNPLUGGING.

   OPERATORS TO UNPLUG CHUTE OR
  AUGER.

   ALWAYS DIRECT DISCHARGE SO AS TO AVOID
  INJURY OR OAMAGE TO PERSONS OR
  PROPERTY.

   NEVER ALLOW ANYONE IN FRONT OF
  OPERATORS MACKINE.

Ref. No. 26



SPRING IS UNDER TENSION. RAISE SNOW-THROWER BEFORE PULLING LEVER BACK TO DISCONNECT SPRING.

DANGER Avoid injury from rotating auger: Keep hands, feet and clothing away.

Ref. No. 41


Ref. No. 39

\*\*79 Torque to 13-17 ft, Ibs. Must be parallel to blower housing within 1/8" when assembled. Grease when assembled. Sprocket must be in line with driven sprocket within .08, 17 Torque to 40-45 ft. lbs. Apply grease to entire length of

NOTE: Unless noted otherwise, use the standard hardware torque specification chart located on the inside back cover.

chain (Lithium No. 2).

Ref. No.	Part No.	Qty.	Description
1	1928721	1	SETSCREW, 5/16-18 x 1/2
2	171248	ì	PULLEY
3	1922127	2	CAPSCREW, Hex, 5/16-18 x 1-3/4
4	1666145	2	CLAMP
5	8061012	4	WASHER
6	154258	2	BEARING, Needle
7	921133	1	FITTING, Grease
8	1650955	1	HOUSING ASSY, w/Bearings
		·	(Incl. Ret. No. 6)
9	1917372	2	NUT, Hex, Full, 5/16-18
10	1917356	2	LOCKWASHER, 5/16
11	1928352	7	LOCKNUT, Flange, 3/8-16
12	905123	1	KEY
13	106757	1	SHAFT ASSY.
14	1669105	2	SPACER
15	171242	1	CHAIN (Auger Drive)
16	1676738	1	GUARD, Chain
17	1960244	2	SCREW, Hex, Whizlock, 3/8-16 x 2-3/4
18	1934654	3	SCREW, Hex, Whizlock, 3/8-16 x 1




Ref.	Part		
No.	No.	Qty.	Description
1	1667791	1	DEFLECTOR
2	1919326	3	WASHER, Plain, 5/16
3	1670578	1	KNOB
4	1923362	1	LOCKNUT, Hex, 5/16-18
5	1917356	2	LOCKWASHER, 5/16
6	1917372	3	NUT, Hex, Full, 5/16-18
7	1931335	1	CARRIAGE BOLT, 5/16-18 x 1
8	1936482	2	SCREW, Truss Hd., 5/16-18 x 3/4
9	1667790	2	SPACER
10	1704294	1	CHUTE ASSY.
11	171379	1	WASHER, Cup
12	1919326	1	WASHER, Plain, 5/16
13	171362	1	CABLE ASSY.
14	1921210	3	CAPSCREW, Hex, 3/8-16 x 1
15	1930645	3	NUT, Hex, Flange, 3/8-16
16	1707522	1	ARM, Support
17	1918447	2	PIN, Cotter, 3/32 x 3/4
18	171382	1	CLAMP
19	1927428	1	SCREW, Hex, Taptite, 1/4-20 x 3/8
20	121175	1	LINER
21	152050	1	GUIDE, Rod
22	1921221	1	CAPSCREW, Hex, 5/16-18 x 1-1/2
23	1713417	1	ROD ASSY, Spout
24	176933	1	GRIP, Handle
25	1704446	1	GUARD ASSY., Chute
26	1960126	2	NUT, Push On
27	1677488	1	DECAL, Blower Housing
28	1713419	1	HANDLE, Spout Control
29	1923325	2	CAPSCREW, Hex Hd., 5/16-18 x 7/8
30	1935048	2	NUT, Hex, Flange, Lock, 5/16-18



Ref. No. 27


<del>\*\*</del>2130




Ref.	Part		
No.	No.	Qty.	Description
1	1927557	6	NUT, Flange, Lock, 5/16-18
2	1960252	1	CARRIAGE BOLT, 1/4-20 x 5/8
3	1930641	10	NUT, Hex, Flange, Lock, 1/4-20
4	1705492	1	FAN HOUSING (Incl. Ref. No. 34)
5	1925003	1	CAPSCREW, Hex, Taptite, 1/4-20 x 1/2
6	1705267	1	PLATE, Cover
7	1931333	6	CARRIAGE BOLT, 5/16-18 x 3/4
		-	(Qty 8 on 1691868, 44")
8	1960472	2	SCREW, Truss Hd., 1/4-18 x 5/8
9	1931355	1	CARRIAGE BOLT, 3/8-16 x 2-1/4
10	1678435	វ	BELT STOP
11	1924874	1	WASHER, Flat
12	1917356	í	WASHER, Spring Lock, 5/16
13	1917372	1	NUT, Hex, 5/16
14	1924361	1	WASHER, Flat
15	1676148	2	BUSHING
16	1704314	1	FITTING, Grease
17	1668500	1	BRACKET, Anchor, Spring
18	1921959	5	CAPSCREW, Hex Hd., 1/4-20 x 5/8
19	1657499	1	SPRING, Tension
20	1704983	1	BRACKET ASSY., Turbo
21	1920415	1	CAPSCREW, Hex Hd., 3/8-16 x 1-1/4
22	1924940	2	WASHER, Plain
23	1708030	1	IDLER PULLEY ASSY.
24	1933263	1	WASHER, Flat
25	1960251	2	NUT, Hex, Jam, Center Lock, 3/8-16
26	1924940	1	WASHER, Flat
27	1706284	1	LEVER ASSY, Turbo
			(Incl. Ref. Nos. 15 &16)
28	1676833	1	SPACER
29	1706634	1	PULLEY, Driven
30	1928691	1	SETSCREW, Hex, Socket Hd., 5/16-18 x 5/16
31	1706465	1	PLATE ASSY.
32	960403	1	KEY, Waodruff, Modified
33	1924009	1	CAPSCREW, Hex Hd., 1/4-20 x 7/8
34	1700259	1	DECAL, Danger, Blower
35	1665982	4	BEARING, Retainer
36	108202	2	BEARING
37	1933988	6	PUSH NUT, 3/8
38	1706631	1	FAN ASSY., 5 Blade
39	1960256	2	SCREW, Hex, Washer Hd., 1/4-28 x 5/8



Ref. No. 34



Ref.	Part	_	
No.	No.	Oty.	Description
1	1705142	1	V-BELT (44" Only)
	1707956	1	V-BELT (50" Only)
2	1921221	1	CAPSCREW, 5/16-18 x 1-1/2 (44" Only)
3	1919326	2	WASHER, Flat (44" Only)
4	172845	1	BELT STOP
5	1960318	1	CAPSCREW, Hex Hd., 5/16-18 x 2-1/2
6	1919381	3	WASHER, Flat
7	1705064	1	SPRING LATCH
8	1925003	1	SCREW, Taptite, 1/4-20 x 1/2
9	1678435	1	BELT STOP
10	1704982	1	ANCHOR, Turbo
11	1917356	2	LOCKWASHER, 5/16 (Qty. 3 used on 44")
12	1917372	2	NUT, Hex, 5/16-18
13	1679163	1	NUT, Wing Assy., 5/16
14	1923362	1	NUT, Hex, Center Lock, 5/16-18
15	1927531	1	CAPSCREW, Hex Hd., 7/16-14 x 2
16	1704796	1	PULLEY ASSY., Turbo
17	1919438	1	NUT, Hex, Ny-lock
18	1705279	1	SHIELD ASSY., Belt
19	1705123	1	STUD, 5/16-18 x 5-13/64
20	1923325	2	CAPSCREW, Hex Hd., 5/16-18 x 7/8
21	1960223	1	CARRIAGE BOLT, 5/16-18 x 1-1/4
22	1704880	1	BRACKET ASSY., Cut off
23	1666294	1	SPACER
24	1705308	1	BRACKET, "L"
25	1931333	2	CARRIAGE BOLT, 5/16-18 x 3/4 (Qty. 2 used on 44")
26	1705070	1	PIVOT ASSY., (44" Only)
	1705066	1	PIVOT ASSY., (50" Only)
27	1931277	4	NUT, Hex, Flange, Whizlock, 5/16-18
			(Qty. 3 used on 44"))
28	1931648	1	SCREW, Hex, Whizlock, 5/16-18 x 1/2 (44" Only)
29	1705716	1	ROD, Deflector
30	1960404	4	SCREW, Truss Hd.
31	1933896	4	NUT, Nylock, #10-24
32	1710703	1	SPACER (44" Only)
33	1704768	1	BRACKET, Idler, Turbo
34	1705277	1	LATCH, Belt Cover
35	1924940	2	WASHER, Flat
3 <del>6</del>	1921969	1	CAPSCREW, 3/8-16 x 1-1/2
37	1705044	1	PULLEY ASSY., Idler
38	1916965	1	LOCKWASHER, 3/8
39	1916950	1	NUT, Hex, 3/8-16
40	1921319	1	WASHER, Flat, .25 x .05 Thk.
41	1924874	2	WASHER, Flat




Ref.	Part		
No.	No.	Qty.	Description
1	1707990	1	PLATE, End, R.H.
2	1927557	15	LOCKNUT, Flange, 5/16-18
3	1931332	8	CARRIAGE BOLT, 5/16-18 x 5/8
4	105369	1	DEFLECTOR ASSY., R.H.
5	1679700	2	DECAL, Safety
6	105354	1	SHIELD
7	1930642	1	NUT, Hex, Flange Hd., 1/4-20
8	1707938	1	CHANNEL, Brace, Pivot
9	1921210	2	CAPSCREW, Hex, 3/8-16 x 1
10	1960353	2	WASHER
11	1930645	2	NUT, Hex, Flange Lock, 3/8-16
12	105337	4	KEY
13	1933260	2	SCREW, Hex, Whizlock, 3/8-16 x 3/4
14	1707991	1	PLATE, End, L.H.
15	105370	1	DEFLECTOR ASSY., L.H.
16	1934654	4	SCREW, Hex, Whizlock, 3/8-16 x 1
17	1928867	16	LOCKNUT, Hex, 7/16-20
18	105376	8	BLADE, Tine, R.H.
19	105375	8	BLACE, Tine, L.H.
20	1651504	2	HUB & PLATE ASSY.
21	1920353	16	CAPSCREW, Hex Hd., 7/16-20 x 1-1/2
22	105249	2	PIN
23	1918451	2	PIN, Cotter, 1/8-3/4
24	1650461	1	BLADE ASSY., L.H.
25	1650460	1	BLADE ASSY., R.H.
28	1707945	1	DEFLECTOR
27	1707939	1	ROD, Deflector
28	1918448	1	PIN, Cotter
29	1707951	1	CHAIN
30	1924009	1	CAPSCREW, Hex Hd., 1/4-20 x 7/8


# **A** DANGER

- STAY CLEAR OF TILLER WHEN TRACTOR IS RUNNING, CONTACT WITH MOVING OR ROTATING PARTS WILL CAUSE PERSONAL INJURY.
- SHUT OFF TRACTOR, REMOVE KEY, AND LOWER TILLER BEFORE LEAVING TRACTOR SEAT, SERVICING, INSTALLING, OR DISCONNECTING TILLER.


Ret. No. 5




Ref.	Part		
No.	No.	Qty.	Description
1	105336	2	CHAIN
2	178174	1	CHAIN
3	1650841	1	TRANSMISSION SUB ASSY.
			(Includes Ref. Nos. 1-16, 18-38 on this page
			& Includes Ref. Nos. 1-5, 7, 11, 17, 18, 19, 34,
			36 &36 in the 36" Tiller Drive Group)
4	915019	2	FITTING, Grease
5	105132	2	BOLT
6	1916966	4	LOCKWASHER, 1/2
7	105320	2	BAR, Side
8	1917372	4	NUT, Hex, Full, 5/16-18
9	1917356	4	LOCKWASHER, 5/16
10	1669337	2	BEARING
11	1923362	13	LOCKNUT, Hex, Full, 5/16-18
12	105366	1	CASE ASSY., Half, R.H.
13	105365	2	SEAL
14	1669338	2	PLATE ASSY., Upper Bearing
15	960208	4	RING, Retaining
16	960208	4	WASHER
17	105195	4	BEARING, Roller
18	105192	7	SPACER, Inter.
19	105298	1	SHAFT ASSY., Pulley
20	1650975	1	SPROCKET & BEARING ASSY.
			(Includes Ref. Nos. 17 & 21)
21		1	SPROCKET ASSY. (See Ref. No. 20)
22	105360	2	SPACER
23	178177	1	SHAFT ASSY., Tine
24		1	SPROCKET (See Ref. No. 25)
25	1650976	1	SPROCKET & BEARING ASSY.
			(Includes Ref. Nos. 17 & 24)
26	105292	1	SPACER, Internal
27	1930651	6	LOCKNUT, Hex, Jam, 3/8-16
28	1669298	2	PLATE ASSY.
29	105357	2	SEAL
30	105309	2	BEARING
31	105363	2	CAP, Grease
32	1930644	2	LOCKNUT, Flange, 1/2-13
33	105367	1	CASE ASSY., Half, L.H.
34	1925205	13	CAPSCREW, Hex Hd., 5/16-18 x 5/8
35	1918431	1	WASHER, Plain, 1/2
36	1926158	1	CAPSCREW, Hex Hd., 1/2-13 x 4
37	1929528	2	CAPSCREW, Hex Hd., 1/2-20 x 1
38	105373	1	GASKET
39	1921977	1	CAPSCREW, Hex Hd., 5/16-18 x 1-1/4
40	1924940	2	WASHER, Flat
41	1935048	2	NUT, Hex, Flange, Lock, 5/16-18
42	1707985	1	HOOK, "S"




Ref.	Part		
No.	No.	Qty.	Description
1	1923471	1	CAPSCREW, Hex. 7/16-14 x 1-1/4
2	1925125	2	WASHER, Plain, 3/8
3	105346	2	SPACER
4	1930650	2	LOCKNUT, Flange, 7/16-14
5	105359	2	SUPPORT, Rear Belt Guard
6	105339	1	SPACER
7	1707593	1	SPRING, Torsion
8	105295	1	LEVER ASSY., Clutch
9	1930585	1	CAPSCREW, Hex Hd., 7/16-14 x 3-1/2
10	1707569	1	BAR ASSY., Lift
11	118053	1	PIN
12	176012	4	CLIP, Safety
13	1707599	1	ANCHOR, Spring
14	1923141	1	CARRIAGE BOLT, 5/16-18 x 2-3/4
15	1707564	1	GUARD, Belt
16	960171	1	WASHER, Nylon
17	1666106	í	SPACER
18	1919326	1	WASHER
19	1704716	2	SPACER
20	1917356	1	LOCKWASHER, 5/16
21	1917372	1	NUT, Hex, Full, 5/16-18
22	1657562	1	ROD, Pivot
23	1930644	i	LOCKNUT, Hex, 1/2-13
24	1924361	4	WASHER, Plain, 1/2
25	105386	2	SPACER
26	1926159	1	CAPSCREW, Hex, 1/2-13 x 5
27	1651844	1	FRAME ASSY.
28	155037	2	PIN




1	Ref.	Part	24.	B 1.1
2 1960474 1 SETSCREW, 3/8-16 x 1/2 3 157427 1 KEY 4 1707289 1 PULLEY ASSY, (Incl. Ref. No. 5) 5 1669999 1 SPACER 6 1921973 1 CAPSCREW, Hex, 3/8-16 x 2-3/4 7 1924940 10 WASHER, Plain, 3/8 8 1708352 1 GUARD, Spring 9 916965 7 LOCKWASHER, 3/8 10 916950 6 NUT, Hex, Full, 3/8-16 11 1706511 2 PULLEY, Idler 12 1921971 2 CAPSCREW, Hex, 3/8-16 x 1-3/4 13 1706510 1 PULLEY, Idler 14 1920415 1 CAPSCREW, Hex, 3/8-16 x 1-1/4 15 1708961 1 ARM ASSY, Idler 16 1708298 1 PIN 17 176012 1 CUP, Safety 18 1707265 1 ANCHOR, Jackshaft (Used on Gear Models only) 19 1921210 2 CAPSCREW, Hex, 3/8-16 x 1 1960116 1 PIN 22 1960033 1 CUP 23 1921333 1 CAPSCREW, Hex, 5/16-18 x 1 24 1923362 1 NUT, Hex, Centerlock, 5/16-18 25 1706362 1 PULLEY ASSY, Jackshaft 26 1960160 4 WASHER, 3/4 27 1611789 2 SEAL 28 1708180 1 CLEVIS ASSY, w/Bearings (Incl. Ref. Nos. 29 & 30) 29 1 CLEVIS ASSY, w/Bearings (Incl. Ref. Nos. 29 & 30) 29 1 CLEVIS ASSY, w/Bearings (Incl. Ref. Nos. 29 & 30) 29 1 CLEVIS ASSY, w/Bearings (Incl. Ref. Nos. 29 & 30) 21 191208 1 FITTING, Grease 32 159159 1 SPRING, Extension 33 1980251 1 NUT, Hex, Jam Lock, 3/8-16 x 2 37 1706343 1 PULLEY ASSY. 38 1928721 1 SETSCREW, Hex, 3/8-16 x 2 37 1706343 1 PULLEY ASSY. 38 1928721 1 SETSCREW, Hex, 3/8-16 x 2 39 964003 1 KEY, Woodruff #61 30 170059 1 BELT, Primary	NO.	NO.	uty.	Description
2 1960474 1 SETSCREW, 3/8-16 x 1/2 3 157427 1 KEY 4 1707289 1 PULLEY ASSY, (Incl. Ref. No. 5) 5 1669999 1 SPACER 6 1921973 1 CAPSCREW, Hex, 3/8-16 x 2-3/4 7 1924940 10 WASHER, Plain, 3/8 8 1708352 1 GUARD, Spring 9 916965 7 LOCKWASHER, 3/8 10 916950 6 NUT, Hex, Full, 3/8-16 11 1706511 2 PULLEY, Idler 12 1921971 2 CAPSCREW, Hex, 3/8-16 x 1-3/4 13 1706510 1 PULLEY, Idler 14 1920415 1 CAPSCREW, Hex, 3/8-16 x 1-1/4 15 1708961 1 ARM ASSY, Idler 16 1708298 1 PIN 17 176012 1 CUP, Safety 18 1707265 1 ANCHOR, Jackshaft (Used on Gear Models only) 19 1921210 2 CAPSCREW, Hex, 3/8-16 x 1 1960116 1 PIN 22 1960033 1 CUP 23 1921333 1 CAPSCREW, Hex, 5/16-18 x 1 24 1923362 1 NUT, Hex, Centerlock, 5/16-18 25 1706362 1 PULLEY ASSY, Jackshaft 26 1960160 4 WASHER, 3/4 27 1611789 2 SEAL 28 1708180 1 CLEVIS ASSY, w/Bearings (Incl. Ref. Nos. 29 & 30) 29 1 CLEVIS ASSY, w/Bearings (Incl. Ref. Nos. 29 & 30) 29 1 CLEVIS ASSY, w/Bearings (Incl. Ref. Nos. 29 & 30) 29 1 CLEVIS ASSY, w/Bearings (Incl. Ref. Nos. 29 & 30) 21 191208 1 FITTING, Grease 32 159159 1 SPRING, Extension 33 1980251 1 NUT, Hex, Jam Lock, 3/8-16 x 2 37 1706343 1 PULLEY ASSY. 38 1928721 1 SETSCREW, Hex, 3/8-16 x 2 37 1706343 1 PULLEY ASSY. 38 1928721 1 SETSCREW, Hex, 3/8-16 x 2 39 964003 1 KEY, Woodruff #61 30 170059 1 BELT, Primary	1	1706342	1	PULLEY
3 157427 1 KEY 4 1707289 1 PULLEY ASSY. (Incl. Ref. No. 5) 5 1668999 1 SPACER 6 1921973 1 CAPSCREW, Hex. 3/8-16 x 2-3/4 7 1924940 10 WASHER, Plain, 3/8 8 1708352 1 GUARD, Spring 9 916965 7 LOCKWASHER, 3/8 10 916950 6 NUT, Hex, Full, 3/8-16 11 1706511 2 PULLEY, Idler 12 1921971 2 CAPSCREW, Hex. 3/8-16 x 1-3/4 13 1706510 1 PULLEY, Idler 14 1920415 1 CAPSCREW, Hex., 3/8-16 x 1-1/4 15 1708961 1 ARM ASSY., Idler 16 1708298 1 PIN 17 176012 1 CUP, Safety 18 1707265 1 ANCHOR, Jackshaft (Used on Gear Models only) 19 1921210 2 CAPSCREW, Hex., 3/8-16 x 1 20 1706344 1 ANCHOR ASSY. 21 1960116 1 PIN 22 1960033 1 CUP 23 1921333 1 CAPSCREW, Hex., 5/16-18 x 1 24 1923962 1 NUT, Hex., Centerlock, 5/16-18 25 1706362 1 PULLEY ASSY., Jackshaft 26 1960160 4 WASHER, 3/4 27 1611789 2 SEAL 28 1708180 1 CLEVIS ASSY., W/Bearings (Incl. Ref. Nos. 29 & 30) 29 1 CLEVIS ASSY., W/Bearings (Incl. Ref. Nos. 29 & 30) 21 19159 1 SPRING, Extension 33 1960251 1 NUT, Hex., Jam Lock, 3/8-16 x 2 37 1706343 1 PULLEY, Idler 38 1928721 1 SETSCREW, Hex., 3/8-16 x 2 39 960403 1 CLEVIS ASSY., Idler 40 1700059 1 BELT, Primary		•		
4         1707289         1         PULLEY ASSY, (Incl. Ref. No. 5)           5         1668999         1         SPACER           6         1921973         1         CAPSCREW, Hex, 3/8-16 x 2-3/4           7         1924940         10         WASHER, Plain, 3/8           8         1708352         1         GUARD, Spring           9         916965         7         LOCKWASHER, 3/8           10         916950         6         NUT, Hex, Full, 3/8-16           11         1706511         2         PULLEY, Idler           12         1921971         2         CAPSCREW, Hex, 3/8-16 x 1-3/4           13         1706510         1         PULLEY, Idler           14         1920415         1         CAPSCREW, Hex, 3/8-16 x 1-3/4           15         1708961         1         ARM ASSY., Idler           16         1708298         1         PIN           17         176012         1         CLIP, Safety           18         1707285         1         ANCHOR, Jackshaft (Used on Gear Models only)           19         1921210         2         CAPSCREW, Hex, 3/8-16 x 1           20         1706344         1         ANCHOR ASSY.      <	3		1	
5         1668989         1         SPACER           6         1921973         1         CAPSCREW, Hex, 3/8-16 x 2-3/4           7         1924940         10         WASHER, Plain, 3/8           8         1708352         1         GUARD, Spring           9         916965         7         LOCKWASHER, 3/8           10         916950         6         NUT, Hex, Full, 3/8-16           11         1706511         2         PULLEY, Idler           12         1921971         2         CAPSCREW, Hex, 3/8-16 x 1-3/4           13         1706510         1         PULLEY, Idler           14         1920415         1         CAPSCREW, Hex, 3/8-16 x 1-1/4           15         1708961         1         ARM ASSY., Idler           16         1708298         1         PIN           17         176012         1         CLIP, Safety           18         1707265         1         ANCHOR, Jackshaft (Used on Gear Models only)           19         1921210         2         CAPSCREW, Hex, 3/8-16 x 1           21         1960133         1         CLIP           22         1960033         1         CLIP           23 <t< td=""><td></td><td></td><td>1</td><td>PULLEY ASSY, (Incl. Ref. No. 5)</td></t<>			1	PULLEY ASSY, (Incl. Ref. No. 5)
6 1921973 1 CAPSCREW, Hex, 3/8-16 x 2-3/4 7 1924940 10 WASHER, Plain, 3/8 8 1708352 1 GUARD, Spring 9 916965 7 LOCKWASHER, 3/8 10 916950 6 NUT, Hex, Full, 3/8-16 11 1706511 2 PULLEY, Idler 12 1921971 2 CAPSCREW, Hex, 3/8-16 x 1-3/4 13 1706510 1 PULLEY, Idler 14 1920415 1 CAPSCREW, Hex, 3/8-16 x 1-1/4 15 1708961 1 ARM ASSY., Idler 16 1708298 1 PIN 17 176012 1 CUP, Safety 18 1707265 1 ANCHOR, Jackshaft (Used on Gear Models only) 19 1921210 2 CAPSCREW, Hex, 3/8-16 x 1 20 1706344 1 ANCHOR ASSY. 21 1960116 1 PIN 22 1960033 1 CUP 23 1921333 1 CAPSCREW, Hex, 5/16-18 x 1 1923362 1 NUT, Hex, Centerlock, 5/16-18 24 1923362 1 NUT, Hex, Centerlock, 5/16-18 25 1706362 1 PULLEY ASSY., w/Bearings (Incl. Ref. Nos. 29 & 30) 27 1611789 2 SEAL 28 1708180 1 CLEVIS ASSY. (See Ref. No. 28) 30 171186 2 BEARING, Needle 31 912908 1 FITTING, Grease 32 159159 1 SPRING, Extension 33 1960251 1 NUT, Hex, Jam Look, 3/8-16 34 1706308 1 ARM ASSY. Idler 35 1557712 1 PULLEY, Idler 36 1923701 1 CAPSCREW, Hex, 3/8-16 x 2 37 1706343 1 PULLEY, Idler 38 1928721 1 SETSCREW, Hex, 3/8-16 x 2 39 960403 1 KEY, Woodriff #61 39 960403 1 KEY, Woodriff #61 39 960403 1 KEY, Woodriff #61 30 170059 1 BELT, Primary	5	1669999	1	
7 1924940 10 WASHER, Plain, 3/8 8 1708352 1 GUARD, Spring 9 916965 7 LOCKWASHER, 3/8 10 916950 6 NUT, Hex, Full, 3/8-16 11 1706511 2 PULLEY, Idler 12 1921971 2 CAPSCREW, Hex, 3/8-16 x 1-3/4 13 1706510 1 PULLEY, Idler 14 1920415 1 CAPSCREW, Hex, 3/8-16 x 1-1/4 15 1708961 1 ARM ASSY., Idler 16 1708298 1 PIN 17 176012 1 CUP, Safety 18 1707265 1 ANCHOR, Jackshaft (Used on Gear Models only) 19 1921210 2 CAPSCREW, Hex, 3/8-16 x 1 20 1706344 1 ANCHOR ASSY. 21 1960133 1 CLIP 22 1960033 1 CLIP 23 1921333 1 CAPSCREW, Hex, 5/16-18 x 1 24 1923362 1 NUT, Hex, Centerlock, 5/16-18 25 1706362 1 PULLEY ASSY., Jackshaft 26 1960160 4 WASHER, 3/4 27 1611789 2 SEAL 28 1708180 1 CLEVIS ASSY., W/Bearings (Incl. Ref. Nos. 29 & 30) 29 1 CLEVIS ASSY. (See Ref. No. 28) 30 171186 2 BEARING, Needle 31 912808 1 FITTING, Grease 32 159159 1 SPRING, Extension 33 1960251 1 NUT, Hex, Jam Lock, 3/8-16 x 2 37 1706343 1 PULLEY, Idler 36 1923701 1 CAPSCREW, Hex, 3/8-16 x 2 37 1706343 1 PULLEY, Idler 38 1928721 1 SETSCREW, Hex, 3/8-16 x 2 39 960403 1 KEY, Woodruff #61 39 960403 1 KEY, Woodruff #61 39 1700059 1 BELT, Primary			1	
8 1708352 1 GUARD, Spring 9 916965 7 LOCKWASHER, 3/8 10 916950 6 NUT, Hex, Full, 3/8-16 11 1706511 2 PULLEY, Idler 12 1921971 2 CAPSCREW, Hex, 3/8-16 x 1-3/4 13 1706510 1 PULLEY, Idler 14 1920415 1 CAPSCREW, Hex, 3/8-16 x 1-1/4 15 1708961 1 ARM ASSY., Idler 16 1708298 1 PIN 17 176012 1 CLIP, Safety 18 1707265 1 ANCHOR, Jackshaft (Used on Gear Models only) 19 1921210 2 CAPSCREW, Hex, 3/8-16 x 1 20 1706344 1 ANCHOR ASSY. 21 1960116 1 PIN 22 1960033 1 CLIP 23 1921333 1 CLIP 23 1921333 1 CLIP 24 1923962 1 NUT, Hex, Centerlock, 5/16-18 x 1 24 1923962 1 NUT, Hex, Centerlock, 5/16-18 25 1706362 1 PULLEY ASSY., Jackshaft 26 1960160 4 WASHER, 3/4 27 1611769 2 SEAL 28 1708180 1 CLEVIS ASSY., WBearings (Incl. Ref. Nos. 29 & 30) 29 1 CLEVIS ASSY., WBearings (Incl. Ref. Nos. 29 & 30) 29 1 CLEVIS ASSY., WBearings (Incl. Ref. Nos. 29 & 30) 30 171186 2 BEARING, Needle 31 912808 1 FITTING, Grease 32 159159 1 SPRING, Extension 33 1990251 1 NUT, Hex, Jam Lock, 3/8-16 x 2 35 1557712 1 PULLEY, Idler 36 1923701 1 CAPSCREW, Hex, 3/8-16 x 2 37 1706343 1 PULLEY, Idler 38 1928721 1 SETSCREW, Hex, 3/8-16 x 2 39 960403 1 KEY, Woodruff #61 39 960403 1 KEY, Woodruff #61 30 1700059 1 BELT, Primary		1924940	10	
9 916965 7 LOCKWASHEÑ, 3/8 10 916950 6 NUT, Hex, Full, 3/8-16 11 1706511 2 PULLEY, Idler 12 1921971 2 CAPSCREW, Hex, 3/8-16 x 1-3/4 13 1706510 1 PULLEY, Idler 14 1920415 1 CAPSCREW, Hex, 3/8-16 x 1-1/4 15 1708981 1 ARM ASSY., Idler 16 1708298 1 PIN 17 176012 1 CLIP, Safety 19 1921210 2 CAPSCREW, Hex, 3/8-16 x 1 20 1706344 1 ANCHOR, Jackshaft (Used on Gear Models only) 21 1960116 1 PIN 22 1960033 1 CLIP 23 1921333 1 CAPSCREW, Hex, 5/16-18 x 1 24 1923362 1 NUT, Hex, Centerfock, 5/16-18 25 1706362 1 PULLEY ASSY., Jackshaft 26 1960160 4 WASHER, 3/4 27 1611769 2 SEAL 28 1708180 1 CLEVIS ASSY., w/Bearings (Incl. Ref. Nos. 29 & 30) 29 1 CLEVIS ASSY., W/Bearings (Incl. Ref. Nos. 29 & 30) 29 1 CLEVIS ASSY., W/Bearings (Incl. Ref. Nos. 29 & 30) 29 1 CLEVIS ASSY., doe'de 31 912808 1 FITTING, Grease 32 159159 1 SPRING, Reed'e 33 1990251 1 NUT, Hex, Jam Lock, 3/8-16 34 1708508 1 ARM ASSY., Idler 36 1923701 1 CAPSCREW, Hex, 3/8-16 x 2 37 1706343 1 PULLEY, Idler 38 1928721 1 SETSCREW, Hex, 3/8-16 x 2 39 960403 1 KEY, Woodruff #61 39 960403 1 KEY, Woodruff #61 30 1700059 1 BELT, Primary		1708352	1	
10 916950 6 NUT, Hex, Full, 3/8-16 11 1706511 2 PULLEY, Idler 12 1921971 2 CAPSCREW, Hex, 3/8-16 x 1-3/4 13 1706510 1 PULLEY, Idler 14 1920415 1 CAPSCREW, Hex, 3/8-16 x 1-1/4 15 1708961 1 ARM ASSY., Idler 16 1708298 1 PIN 17 176012 1 CUP, Safety 18 1707265 1 ANCHOR, Jackshaft (Used on Gear Models only) 19 1921210 2 CAPSCREW, Hex, 3/8-16 x 1 20 1706344 1 ANCHOR ASSY. 21 1960116 1 PIN 22 1960033 1 CUP 23 1921333 1 CAPSCREW, Hex, 5/16-18 x 1 24 1923362 1 NUT, Hex, Centerlock, 5/16-18 25 1706362 1 PULLEY ASSY., Jackshaft 26 1960160 4 WASHER, 3/4 27 1611789 2 SEAL 28 1708180 1 CLEVIS ASSY., w/Bearings (Incl. Ref. Nos. 29 & 30) 29			7	
11 1706511 2 PULLEY, idler 12 1921971 2 CAPSCREW, Hex, 3/8-16 x 1-3/4 13 1706510 1 PULLEY, idler 14 1920415 1 CAPSCREW, Hex, 3/8-16 x 1-1/4 15 1708961 1 ARM ASSY., idler 16 1708298 1 PIN 17 176012 1 CUP, Safety 18 1707265 1 ANCHOR, Jackshaft (Used on Gear Models only) 19 1921210 2 CAPSCREW, Hex, 3/8-16 x 1 20 1706344 1 ANCHOR ASSY. 21 1960116 1 PIN 22 1960033 1 CUP 23 1921333 1 CAPSCREW, Hex, 5/16-18 x 1 24 1923362 1 NUT, Hex, Centerlock, 5/16-18 25 1706362 1 PULLEY ASSY., Jackshaft 26 1960160 4 WASHER, 3/4 27 1611769 2 SEAL 28 1708180 1 CLEVIS ASSY, w/Bearings (Incl. Ref. Nos. 29 & 30) 29 1 CLEVIS ASSY, (See Ref. No. 28) 30 171186 2 BEARING, Needle 31 912808 1 FITTING, Grease 32 159159 1 SPRING, Extension 33 1960251 1 NUT, Hex, Jam Lock, 3/8-16 x 2 36 1923701 1 CAPSCREW, Hex, 3/8-16 x 2 37 1706304 1 PULLEY ASSY., idler 36 1923701 1 CAPSCREW, Hex, 3/8-16 x 2 37 1706343 1 PULLEY ASSY. Hex, 3/8-16 x 2 38 1928721 1 SETSCREW, Hex, 3/8-16 x 2 39 960403 1 KEY, Woodruff #61 39 960403 1 KEY, Woodruff #61 30 1700059 1 BELT, Primary		916950		
12 1921971 2 CAPSCREW, Hex, 3/8-16 x 1-3/4 13 1706510 1 PULLEY, Idler 14 1920415 1 CAPSCREW, Hex, 3/8-16 x 1-1/4 15 1706961 1 ARM ASSY., Idler 16 1708298 1 PIN 17 176012 1 CUP, Safety 18 1707265 1 ANCHOR, Jackshaft (Used on Gear Models only) 19 1921210 2 CAPSCREW, Hex, 3/8-16 x 1 20 1706344 1 ANCHOR ASSY. 21 1960116 1 PIN 22 1960033 1 CUP 23 1921333 1 CAPSCREW, Hex, 5/16-18 x 1 24 1923362 1 NUT, Hex, Centerlock, 5/16-18 25 1706362 1 PULLEY ASSY., Jackshaft 26 1960160 4 WASHER, 3/4 27 1611789 2 SEAL 28 1708180 1 CLEVIS ASSY., w/Bearings (Incl. Ref. Nos. 29 & 30) 29 1 CLEVIS ASSY. (See Ref. No. 28) 30 171186 2 BEARING, Needle 31 912808 1 FITTING, Grease 32 159159 1 SPRING, Extension 33 1960251 1 NUT, Hex, Jam Lock, 3/8-16 34 1706508 1 ARM ASSY., Idler 35 1657712 1 PULLEY, Idler 36 1923701 1 CAPSCREW, Hex, 3/8-16 x 2 37 1706343 1 PULLEY, Idler 38 1928721 1 SETSCREW, 5/16-18 39 960403 1 KEY, Woodruff #61 39 960403 1 KEY, Woodruff #61 30 1700059 1 BELT, Primary	11	1706511		
13 1706510 1 PULLEY, Idler 14 1920415 1 CAPSCREW, Hex, 3/8-16 x 1-1/4 15 1708961 1 ARM ASSY., Idler 16 1708298 1 PIN 17 176012 1 CLIP, Safety 18 1707265 1 ANCHOR, Jackshaft (Used on Gear Models only) 19 1921210 2 CAPSCREW, Hex, 3/8-16 x 1 20 1706344 1 ANCHOR ASSY. 21 1960116 1 PIN 22 1960033 1 CLIP 23 1921333 1 CAPSCREW, Hex, 5/16-18 x 1 24 1923362 1 NUT, Hex, Centerlock, 5/16-18 25 1706362 1 PULLEY ASSY., Jackshaft 26 1960160 4 WASHER, 3/4 27 1611789 2 SEAL 28 1708180 1 CLEVIS ASSY., W/Bearings (Incl. Ref. Nos. 29 & 30) 29 1 CLEVIS ASSY. (See Ref. No. 28) 30 171186 2 BEARING, Needle 31 912808 1 FITTING, Grease 32 159159 1 SPRING, Extension 33 1960251 1 NUT, Hex, Jam Lock, 3/8-16 34 1706508 1 ARM ASSY., Idler 35 1657712 1 PULLEY, Idler 36 1923701 1 CAPSCREW, Hex, 3/8-16 x 2 37 1706343 1 PULLEY ASSY. 38 1928721 1 SETSCREW, 5/16-18 39 960403 1 KEY, Woodruff #61 39 960403 1 KEY, Woodruff #61 30 170059 1 BELT, Primary	12	1921971		<u>r</u>
14 1920415 1 CAPSCREW, Hex, 3/8-16 x 1-1/4 15 1708961 1 ARM ASSY., Idler 16 1708298 1 PIN 17 176012 1 CUP, Safety 18 1707265 1 ANCHOR, Jackshaft (Used on Gear Models only) 19 1921210 2 CAPSCREW, Hex, 3/8-16 x 1 20 1706344 1 ANCHOR ASSY. 21 1960116 1 PIN 22 1960033 1 CUP 23 1921333 1 CAPSCREW, Hex, 5/16-18 x 1 24 1923362 1 NUT, Hex, Centerlock, 5/16-18 25 1706362 1 PULLEY ASSY., Jackshaft 26 1960160 4 WASHER, 3/4 27 1611789 2 SEAL 28 1708180 1 CLEVIS ASSY., w/Bearings (Incl. Ref. Nos. 29 & 30) 29 1 CLEVIS ASSY. (See Ref. No. 28) 30 171186 2 BEARING, Needle 31 912808 1 FITTING, Grease 32 159159 1 SPRING, Extension 33 1960251 1 NUT, Hex, Jam Lock, 3/8-16 x 2 34 1706508 1 ARM ASSY., Idler 35 1657712 1 PULLEY, Idler 36 1923701 1 CAPSCREW, Hex, 3/8-16 x 2 37 1706343 1 PULLEY ASSY. 38 1928721 1 SETSCREW, Hex, 3/8-16 x 2 39 960403 1 KEY, Woodruff #61 39 960403 1 KEY, Woodruff #61 30 1700559 1 BELT, Primary	13	1706510	1	
15 1708961 1 ARM ASSY., Idler 16 1708298 1 PIN 17 176012 1 CLIP, Safety 18 1707265 1 ANCHOR, Jackshaft (Used on Gear Models only) 19 1921210 2 CAPSCREW, Hex, 3/8-16 x 1 20 1706344 1 ANCHOR ASSY. 21 1960116 1 PIN 22 1960033 1 CLIP 23 1921333 1 CAPSCREW, Hex, 5/16-18 x 1 24 1923362 1 NUT, Hex, Centerfock, 5/16-18 25 1706362 1 PULLEY ASSY., Jackshaft 26 1960160 4 WASHER, 3/4 27 1611789 2 SEAL 28 1708180 1 CLEVIS ASSY., w/Bearings (Incl. Ref. Nos. 29 & 30) 29 1 CLEVIS ASSY. (See Ref. No. 28) 30 171186 2 BEARING, Needle 31 912808 1 FITTING, Grease 32 159159 1 SPRING, Grease 33 1960251 1 NUT, Hex, Jam Lock, 3/8-16 34 1706508 1 ARM ASSY., Idler 35 1557712 1 PULLEY, Idler 36 1923701 1 CAPSCREW, Hex, 3/8-16 x 2 37 1706343 1 PULLEY, Idler 38 1928721 1 SETSCREW, Hex, 3/8-16 x 2 39 960403 1 KEY, Woodruff #61 40 1700059 1 BELT, Primary	14	1920415	1	
16       1708298       1       PIN         17       176012       1       CLIP, Safety         18       1707265       1       ANCHOR, Jackshaft (Used on Gear Models only)         19       1921210       2       CAPSCREW, Hex, 3/8-16 x 1         20       1706344       1       ANCHOR ASSY.         21       1960116       1       PIN         22       1960033       1       CLIP         23       1921333       1       CAPSCREW, Hex, 5/16-18 x 1         24       1923362       1       NUT, Hex, Centerlock, 5/16-18         25       1706362       1       PULLEY ASSY., Jackshaft         26       1960160       4       WASHER, 3/4         27       1611789       2       SEAL         28       1708180       1       CLEVIS ASSY., W/Bearings (Incl. Ref. Nos. 29 & 30)         29       1       CLEVIS ASSY. (See Ref. No. 28)         30       171186       2       BEARING, Needle         31       912808       1       FITTING, Grease         32       159159       1       SPRING, Extension         33       1960251       1       NUT, Hex, Jam Lock, 3/8-16         34       1	15	1708961	1	
18       1707265       1       ANCHOR, Jackshaft (Used on Gear Models only)         19       1921210       2       CAPSCREW, Hex, 3/8-16 x 1         20       1706344       1       ANCHOR ASSY.         21       1960116       1       PIN         22       1960033       1       CLIP         23       1921333       1       CAPSCREW, Hex, 5/16-18 x 1         24       1923362       1       NUT, Hex, Centerlock, 5/16-18         25       1706362       1       PULLEY ASSY., Jackshaft         26       1960160       4       WASHER, 3/4         27       1611789       2       SEAL         28       1708180       1       CLEVIS ASSY., W/Bearings (Incl. Ref. Nos. 29 & 30)         29       1       CLEVIS ASSY., W/Bearings (Incl. Ref. Nos. 29 & 30)         29       1       CLEVIS ASSY., W/Bearings (Incl. Ref. Nos. 29 & 30)         29       1       CLEVIS ASSY., W/Bearings (Incl. Ref. Nos. 29 & 30)         29       1       CLEVIS ASSY., W/Bearings (Incl. Ref. Nos. 29 & 30)         30       171186       2       BEARING, Needle         31       912808       1       FITTING, Grease         32       159159       1       NUT, Hex,	16	1708298	1	
19	17	176012	1	CLIP, Safety
19	18	1707265	1	ANCHOR, Jackshaft (Used on Gear Models only)
21	19	1921210	2	The state of the s
22	20	1706344	1	ANCHOR ASSY.
23       1921333       1       CAPSCREW, Hex, 5/16-18 x 1         24       1923362       1       NUT, Hex, Centerfock, 5/16-18         25       1706362       1       PULLEY ASSY., Jackshaft         26       1960160       4       WASHER, 3/4         27       1611789       2       SEAL         28       1708180       1       CLEVIS ASSY., W/Bearings (Incl. Ref. Nos. 29 & 30)         29       1       CLEVIS ASSY. (See Ref. No. 28)         30       171186       2       BEARING, Needle         31       912808       1       FITTING, Grease         32       159159       1       SPRING, Extension         33       1960251       1       NUT, Hex, Jam Lock, 3/8-16         34       1706508       1       ARM ASSY., Idler         35       1657712       1       PULLEY, Idler         36       1923701       1       CAPSCREW, Hex, 3/8-16 x 2         37       1706343       1       PULLEY ASSY.         38       1928721       1       SETSCREW, 5/16-18         39       960403       1       KEY, Woodruff #61         40       1700059       1       BELT, Primary	21	1960116	1	PIN
24       1923362       1       NUT, Hex, Centerlock, 5/16-18         25       1706362       1       PULLEY ASSY., Jackshaft         26       1960160       4       WASHER, 3/4         27       1611769       2       SEAL         28       1708180       1       CLEVIS ASSY., w/Bearings (Incl. Ref. Nos. 29 & 30)         29       1       CLEVIS ASSY. (See Ref. No. 28)         30       171186       2       BEARING, Needle         31       912808       1       FITTING, Grease         32       159159       1       SPRING, Extension         33       1980251       1       NUT, Hex, Jam Lock, 3/8-16         34       1706508       1       ARM ASSY., Idler         35       1657712       1       PULLEY, Idler         36       1923701       1       CAPSCREW, Hex, 3/8-16 x 2         37       1706343       1       PULLEY ASSY.         38       1928721       1       SETSCREW, 5/16-18         39       960403       1       KEY, Woodruff #61         40       1700059       1       BELT, Primary	22	1960033	1	CLIP
24       1923362       1       NUT, Hex, Centerlock, 5/16-18         25       1706362       1       PULLEY ASSY., Jackshaft         26       1960160       4       WASHER, 3/4         27       1611789       2       SEAL         28       1708180       1       CLEVIS ASSY., w/Bearings (Inci. Ref. Nos. 29 & 30)         29       1       CLEVIS ASSY. (See Ref. No. 28)         30       171186       2       BEARING, Needle         31       912808       1       FITTING, Grease         32       159159       1       SPRING, Extension         33       1960251       1       NUT, Hex, Jam Lock, 3/8-16         34       1706508       1       ARM ASSY., Idier         35       1657712       1       PULLEY, Idier         36       1923701       1       CAPSCREW, Hex, 3/8-16 x 2         37       1706343       1       PULLEY ASSY.         38       1926721       1       SETSCREW, 5/16-18         39       960403       1       KEY, Woodruff #61         40       1700059       1       BELT, Primary	23	1921333	1	CAPSCREW, Hex, 5/16-18 x 1
26 1960160 4 WASHER, 3/4 27 1611769 2 SEAL 28 1708180 1 CLEVIS ASSY., w/Bearings (Inci. Ref. Nos. 29 & 30) 29 1 CLEVIS ASSY. (See Ref. No. 28) 30 171186 2 BEARING, Needle 31 912808 1 FITTING, Grease 32 159159 1 SPRING, Extension 33 1960251 1 NUT, Hex, Jam Lock, 3/8-16 34 1706508 1 ARM ASSY., Idier 35 1657712 1 PULLEY, Idier 36 1923701 1 CAPSCREW, Hex, 3/8-16 x 2 37 1706343 1 PULLEY ASSY. 38 1928721 1 SETSCREW, 5/16-18 39 960403 1 KEY, Woodruff #61 40 1700059 1 BELT, Primary	24	1923362	1	
27 1611789 2 SEAL 28 1708180 1 CLEVIS ASSY., w/Bearings (Inci. Ref. Nos. 29 & 30) 29 1 CLEVIS ASSY. (See Ref. No. 28) 30 171186 2 BEARING, Needle 31 912808 1 FITTING, Grease 32 159159 1 SPRING, Extension 33 1960251 1 NUT, Hex, Jam Lock, 3/8-16 34 1706508 1 ARM ASSY., Idier 35 1657712 1 PULLEY, Idier 36 1923701 1 CAPSCREW, Hex, 3/8-16 x 2 37 1706343 1 PULLEY ASSY. 38 1928721 1 SETSCREW, 5/16-18 39 960403 1 KEY, Woodruff #61 40 1700059 1 BELT, Primary	25	1706362	1	PULLEY ASSY., Jackshaft
28 1708180 1 CLEVIS ASSY., w/Bearings (Incl. Ref. Nos. 29 & 30) 29 1 CLEVIS ASSY. (See Ref. No. 28) 30 171186 2 BEARING, Needle 31 912808 1 FITTING, Grease 32 159159 1 SPRING, Extension 33 1980251 1 NUT, Hex, Jam Lock, 3/8-16 34 1706508 1 ARM ASSY., Idler 35 1657712 1 PULLEY, Idler 36 1923701 1 CAPSCREW, Hex, 3/8-16 x 2 37 1706343 1 PULLEY ASSY. 38 1928721 1 SETSCREW, 5/16-18 39 960403 1 KEY, Woodruff #61 40 1700059 1 BELT, Primary	26	1960160	4	WASHER, 3/4
1 CLEVIS ASSY. (See Ref. No. 28) 30 171186 2 BEARING, Needle 31 912808 1 FITTING, Grease 32 159159 1 SPRING, Extension 33 1960251 1 NUT. Hex, Jam Lock, 3/8-16 34 1706508 1 ARM ASSY., Idler 35 1657712 1 PULLEY, Idler 36 1923701 1 CAPSCREW, Hex, 3/8-16 x 2 37 1706343 1 PULLEY ASSY. 38 1926721 1 SETSCREW, 5/16-18 39 960403 1 KEY, Woodruff #61 40 1700059 1 BELT, Primary	27	1611789	2	SEAL
1 CLEVIS ASSY. (See Ref. No. 28) 30 171186 2 BEARING, Needle 31 912808 1 FITTING, Grease 32 159159 1 SPRING, Extension 33 1960251 1 NUT. Hex, Jam Lock, 3/8-16 34 1706508 1 ARM ASSY., Idler 35 1657712 1 PULLEY, Idler 36 1923701 1 CAPSCREW, Hex, 3/8-16 x 2 37 1706343 1 PULLEY ASSY. 38 1926721 1 SETSCREW, 5/16-18 39 960403 1 KEY, Woodruff #61 40 1700059 1 BELT, Primary	28	1708180	1	CLEVIS ASSY., w/Bearings (Incl. Ref. Nos. 29 & 30)
31       912808       1       FITTING, Grease         32       159159       1       SPRING, Extension         33       1960251       1       NUT, Hex, Jam Lock, 3/8-16         34       1706508       1       ARM ASSY., Idler         35       1657712       1       PULLEY, Idler         36       1923701       1       CAPSCREW, Hex, 3/8-16 x 2         37       1706343       1       PULLEY ASSY.         38       1926721       1       SETSCREW, 5/16-18         39       960403       1       KEY, Woodruff #61         40       1700059       1       BELT, Primary	29		1	
32 159159 1 SPRING, Extension 33 1960251 1 NUT. Hex, Jam Lock, 3/8-16 34 1706508 1 ARM ASSY., Idler 35 1657712 1 PULLEY, Idler 36 1923701 1 CAPSCREW, Hex, 3/8-16 x 2 37 1706343 1 PULLEY ASSY. 38 1926721 1 SETSCREW, 5/16-18 39 960403 1 KEY, Woodruff #61 40 1700059 1 BELT, Primary	30	171186	2	BEARING, Needle
33 1960251 1 NUT, Hex, Jam Lock, 3/8-16 34 1706508 1 ARM ASSY., Idler 35 1657712 1 PULLEY, Idler 36 1923701 1 CAPSCREW, Hex, 3/8-16 x 2 37 1706343 1 PULLEY ASSY. 38 1926721 1 SETSCREW, 5/16-18 39 960403 1 KEY, Woodruff #61 40 1700059 1 BELT, Primary	31	912808	1	FITTING, Grease
34 1706508 1 ARM ASSY., Idier 35 1657712 1 PULLEY, Idier 36 1923701 1 CAPSCREW, Hex, 3/8-16 x 2 37 1706343 1 PULLEY ASSY. 38 1928721 1 SETSCREW, 5/16-18 39 960403 1 KEY, Woodruff #61 40 1700059 1 BELT, Primary	32	159159	t	SPRING, Extension
35 1657712 1 PULLEY, Idler 36 1923701 1 CAPSCREW, Hex, 3/8-16 x 2 37 1706343 1 PULLEY ASSY. 38 1928721 1 SETSCREW, 5/16-18 39 960403 1 KEY, Woodruff #61 40 1700059 1 BELT, Primary	33	1960251	1	NUT, Hex, Jam Lock, 3/8-16
36 1923701 1 CAPSCREW, Hex, 3/8-16 x 2 37 1706343 1 PULLEY ASSY. 38 1928721 1 SETSCREW, 5/16-18 39 960403 1 KEY, Woodruff #61 40 1700059 1 BELT, Primary	34	1706508	1	ARM ASSY., Idler
37 1706343 1 PULLEY ASSY. 38 1928721 1 SETSCREW, 5/16-18 39 960403 1 KEY, Woodruff #61 40 1700059 1 BELT, Primary	35	1657712	1	PULLEY, idler
37       1706343       1       PULLEY ASSY.         38       1928721       1       SETSCREW, 5/16-18         39       960403       1       KEY, Woodruff #61         40       1700059       1       BELT, Primary	36	1923701	t	CAPSCREW, Hex, 3/8-16 x 2
39 960403 1 KEY, Woodruff #61 40 1700059 1 BELT, Primary	37	1706343	1	PULLEY ASSY.
40 1700059 1 BELT, Primary	38	1928721	1	SETSCREW, 5/16-16
· · · · · · · · · · · · · · · · · · ·	39	960403	1	KEY, Woodruff #61
41 1706512 1 V-BELT, Drive	40	1700059	1	BELT, Primary
	41	1706512	1	V-BELT, Drive




Ref. No.	Part No.	Qty.	Description	
1	105346	2	SPACER	
2	1923141	1	BOLT, Carriage, 5/16-18 x 2-3/4	
3	960171	1	WASHER, Nylon	
4	1666106	1	SPACER	
5	1919326	1	WASHER	
6	1704716	2	SPACER	
7	1917356	1	LOCKWASHER, 5/16	
8	1917372	1	NUT, Hex Full, 5/16-18	
9	105359	1	SUPPORT, Rear Belt Guard	
10	176012	1	CLIP, Safety	
11	1707564	1	GUARD, Belt	
12	1657562	1	ROD, Pivot	
13	1707593	1	SPRING, Torsion	
14	1707599	1	ANCHOR, Spring	



Ref. No.	Part No.	Qty.	Description
		•	<del>.</del>
1	1706342	1	PULLEY
2	1960474	1	SETSCREW, 3/8-16 x 1/2
3	1707289	1	PULLEY ASSY. (Incl. Ref. No. 4)
4	1669999	1	SPACER
5	1708352	1	GUARD, Spring
6	1706511	2	PULLEY, idler
7	1921971	2	CAPSCREW, Hex Hd., 3/8-16 x 1-3/4
8	1924940	9	WASHER, Plain, 3/8
9	916965	7	LOCKWASHER, 3/8
10	916950	5	NUT, Hex Full, 3/8-16
11	1706510	1	PULLEY, Idler
12	1920415	1	CAPSCREW, Hex Hd., 3/8-16 x 1-1/4
13	1708961	1	ARM ASSY., idler
14	1708298	1	PIN
15	176012	1	CLIP, Safety
16	1707265	1	ANCHOR, Jackshaft (Used on Gear Models only)
17	1921210	2	CAPSCREW, Hex Hd., 3/8-16 x 1
18	1706344	1	ANCHOR ASSY.
19	1960116	1	PIN, Clevis
20	1960033	1	CLIP
21	1921333	1	CAPSCREW, Hex Hd., 5/16-18 x 1
22	1923362	1	NUT, Hex Centerlock, 5/16-18
23	1706362	1	PULLEY ASSY.
24	1960160	4	WASHER, 3/4
25	1611789	2	SEAL
26	1708180	1	CLEVIS ASSY., w/Bearings (Incl. Ref. Nos. 27 & 28)
27		1	CLEVIS ASSY. (See Ref. No. 26)
28	171186	2	BEARING, Needle
29	912808	1	FITTING, Grease
30	159159	1	SPRING, Extension
31	1960251	1	NUT, Hex Jamlock, 3/8-16
32	1706508	1	IDLER ARM ASSY.
33	1657712	1	PULLEY, Idler
34	1923701	1	CAPSCREW, Hex Hd., 3/8-16 x 2
35	1706343	1	PULLEY ASSY.
36	1928721	1	SET SCREW, 5/16-18
37	9 <del>6</del> 0403	1	KEY, Woodruff #61
38	1700059	1	BELT, Primary
39	1706512	1	8ELT, "V", Drive




Ref. No.	Part No.	Qty.	Description	
1	1707470	1	LOWER HITCH ASSY.	
2	1709713	i	LIFT LEVER EXTENSION ASSY.	
3	8181008	i	PiN, Round Head, Drilled, 1/2 x2-1/2	
4	1920328	2	CAPSCREW, Hex, 1/2-13 x 1-1/2	
5	1960355	6	NUT, Hex, Nylon Lock, 1/2-13	
6	1706352	1	LIFT SHAFT ASSY.	
7	1707385	1	LIFT ROD ASSY.	
8	1960064	1	PIN	
9	176012	1	CLIP PIN, Safety	
10	1921333	2	CAPSCREW, Hex , 5/16-18 x 1	
11	1919438	2	NUT, Hex, Lock, Esna, 5/16-18	
12	1960033	1	PIN, Clip	




Ref. No.	Part No.	Qty.	Description
-			
1	1668404	1	DOOR
2	176012	i	SAFETY CLIP
3		1	WEIGHT BOX (Order Whole Goods 1692028)
4	1707485	2	SUPPORT, Side Hitch
5	1920415	4	CAPSCREW, Hex, 3/8-16 x 1-1/4
6	1924356	4	WASHER
7	1916965	4	LOCKWASHER, 3/8
8	1916950	4	NUT, Hex, Full, 3/8-16
9	1668662	4	SPACER
10	1960462	4	CAPSCREW, Hex, 1/2-13 x 2-1/2
11	1924361	4	WASHER
12	1960355	4	NUT, Hex, Lock, Esna, 1/2-13






Ref.	Part		
No.	No.	Gty.	Description
1	1704056	1	COVER (Incl. Ref. Nos. 2, 5, 6, 8 & 32-35)
2	1703700	1	SCREEN
3	1928919	2	NUT, Hex, #10-32
4	1703853	1	HANDLE, Latch
5	1675043	4	RIVET, Pop
6	1910531	4	WASHER
7	1930531	2	SCREW, Truss Hd., #10-32 x 1/2
8	1704057	1	SEAL, Clip
9	960367	2	PIN, Round Head
10	1931333	4	CARRIAGE BOLT, 5/16-18 x 3/4
11	1703855	2	HOOP, Bag
12	1703764	2	BAG, Grass
13	1703807	2	HANGER
14	1672023	2	CLAMP
15	1917356	4	LOCKWASHER, 5/16
16	1917372	4	NUT, Hex, 5/16-18
17	1960221	2	PIN, Hair Clip
18	1921966	4	CAPSCREW, Hex, 3/8-16 x 7/8
19	1703822	1	CROSS ASSY.
20	1928352	4	NUT, Hex, Whizlock, 3/8-16
21	1960252	5	CARRIAGE BOLT, 1/4-20 x 5/8
22	1960077	2	NUT, Hex, Lock, #8-32
23	1960096	2	WASHER
24	1704507	1	STRAP, Tube Support
25	1927428	2	TAPTITE, 1/4-20 x 3/8
26	1930642	5	LOCKNUT, Flange, 1/4-20 End Lock
27	1960399	1	SCREW, Round Head, #8-32 x 7/8
28	1960381	7	RIVET, Pop
29	1704075	1	SUPPORT, Tube (Incl. Ref. Nos. 22, 23, 24 & 27-31)
30	1704135	1	SEAL, Cover
31	1704508	3	BRACKET SEAL
32	1960400	1	SCREW, Self-tapping, #10-12 x 5/8
33	1921319	í	WASHER, Plain, 1/4
34	1705876	1	CABLE, Double Loop
35	1933886	1	NUT, Speed
36	1704180	2	WINDOW
37	1704405	1	DECAL
38	1667248	6	CUP, Canoe
39	1675707	2	CLIP, Tube, Grass Bag




Ref. No. 37

\*\*2072




Ref.	Part			
No.	No.	Qty.	Description	
1	1707526	1	SUPPORT, Upright	
2	1920415	6	CAPSCREW, Hex, 3/8-16 x 1-1/4	
3	1916950	6	NUT, Hex, Black, 3/8-16	
4	1703744	1	BRACKET, Lower Hitch	
5	1924940	2	WASHER	
6	1924361	4	WASHER	
7	1916965	6	LOCKWASHER, Spring, 3/8	
8	1960355	4	NUT, Hex, Lock, Esna, 1/2-13	
9	1707485	2	SUPPORT, Side Hitch	
10	1960462	4	CAPSCREW, Hex, 1/2-13 x 2-1/2	
11	1668662	4	SPACER	




NOTE: Unless noted otherwise, use the standard hardware torque specification chart located on the inside back cover.


## Turbo Twin Bag Catcher - Tube Group

Ref. No.	Part No.	Qty.	Description
1	1707710	1	TUBE, Upper
2	1928919	2	NUT, Hex, #10-32
3	1910531	4	WASHER, Plain, #10
4	1930531	2	SCREW, Truss Hd., #10-32 x 1/2
5	1930641	1	NUT, Hex, Flange, Lock, 1/4-20
6	1960252	1	CARRIAGE BOLT, 1/4-20 x 5/8
7	1707712	1	TUBE ASSY., Lower (Incl. Ref. Nos. 8 & 9)
8	1705063	1	CLIP, Spring
9	1673320	2	RIVET, Pop



Ref.	Part			
No.	No.	Qty.	Description	
1	1708239	1	TAILGATE	
2	1923114	2	CAPSCREW, 1/2-13 x 1	
3	1921958	2	CAPSCREW, Hex, 1/4-20 x 1/2	
4	1708238	1	BOX	
5	1930644	3	LOCKNUT, Hex, Flange, 1/2-13	
6	1703334	1	BRACKET, Pivot, L.H.	
7	1921210	8	CAPSCREW, Hex, 3/8-16 x 1	
8	1703336	1	FRAME	
9	1676892	2	WHEEL, Swivel	
10	1924940	8	WASHER, 3/8	
11	1930651	8	NUT, Hex, Lock, 3/8-16	
12	102004	2	PIN, Clevis, 1/2 x 1-1/2	
13	176012	2	PIN, Safety	
14	1916622	2	NUT, Hex, 1/4-20	
15	1916964	2	LOCKWASHER, 1/4	
16	1700768	1	HANDLE, Lift	
17	1921977	1	CAPSCREW, 5/16-18 x 1-1/4	
18	1919326	2	WASHER, 5/16	
19	171649	2	WASHER, Spring, Special, 5/16	
20	1700765	1	HANDLE, Latch	
21	1917372	1	NUT, Hex, Full, 5/16-18	
22	1920161	1	NUT, Hex, Jam, 5/16-18	
23	1703335	1	BRACKET, Pivot, R.H.	
24	1703370	1	DECAL, Max. Capacity	







\*2153

Ref. No.	Part No.	Qty.	Description	
1	1921176	1	CAPSCREW	
2	960154	2	WASHER, Plain, 1/2	
3	1705791	1	PIVOT, Plate, Hitch	
4	1703211	1	SPACER	
5	17057 <del>9</del> 0	1	SUPPORT, Plate, Hitch	
6	1705792	1	SPACER	
7	176012	1	PIN, Safety	
8	1930644	1	LOCKNUT, Hex, Flange, 1/2-13	
9	1920415	2	CAPSCREW, 3/8-16 x 1-1/4	
10	1924940	2	WASHER, Plain, 3/8	
11	158227	2	SPACER	
12	1930651	2	NUT, Hex, Lock, 3/8-16	
13	1708067	1	BRACKET, "U" Hitch	
14	1960379	2	NUT, Hex, Lock Esna, 1/2-13	
15	1920328	2	CAPSCREW, Hex, 1/2-13 x 1-1/2	


\*\*2335



Ref. No.	Part No.	Qty.	Description
1	1706733	1	POWER LIFT ASSY. (See next page for service parts)
2	1701877	i	BRACKET, Actuator
3	1926106	1	CAPSCREW, Hex , 5/16-18 x 3-1/4
4	1919438	4	NUT, Hex, Lock, Esna, 5/16-18
5	1706530	1	SUPPORT, Actuator
6	1921333	2	CAPSCREW, Hex , 5/16-18 x 1
7	1920415	2	CAPSCREW, Hex , Whizlock, 3/8-16 x 1
8	1919439	2	NUT, Hex, Lock, Esna, 3/8-16
9	1704712	1	LIFT, Pivot Bracket
10	1706529	1	SUPPORT, Lift
11	1923325	6	CAPSCREW, Hex, 5/16-18 x 7/8
12	1708291	1	LIFT ARM ASSY.
13	1960064	1	PIN
14	1708299	1	LIFT TUBE ASSY. (See note on illustration)
15	1706525	1	SHAFT ASSY.
16	1911386	1	WASHER, Plain
17	1960033	2	CLIP, Hair Pin (Large)
18	175828	1	PIN




Ref.	Part		
No.	No.	Qty.	Description
1	1709104	7	LIFT TUBE ASSY.
2	1709105	1	MOTOR & GEAR BOX, 12V DC, 17:1 Ratio
3	1663966	1	MOTOR KIT, 12 VDC
4	1709106	1	BRUSH & LEAD (Red)
5	1709107	1	BRUSH & LEAD (Black)
6	1703531	1	SEAL, Outer Tube (Top)
7	1605773	1	CAPSCREW, Thd. Forming
8	1709110	1	GEAR ASSY., 2nd & 3rd
9	1605778	1	PIN, Drive
10	1667788	1	GASKET, Housing
11	1709109	1	OUTPUT GEAR & SLIP CLUTCH ASSY.




NOTE: Unless noted otherwise, use the standard hardware torque specification chart located on the inside back cover.

Ref.	Part		
No.	No.	Qty.	Description
1	1928721	2	SETSCREW, 5/16-18 x 1/2
2	8031007	2	COLLAR, Set
3	171679	1	GUIDE ASSY, Rod
4	171011	4	SPRING
5	1665887	1	ROD, Lift (Manual Lift)
6	1960033	5	CLIP, Spring
7	1921333	1	CAPSCREW, Hex, 5/16-18 x 1
8	1704757	1	BRACKET, Spring Anchor
9	1917356	1	LOCKWASHER, 5/16
10	1917372	1	·
11	1655651		NUT, Hex, Full, 5/16-18
12		1	PIN, Hitch
	1919381	2	WASHER, Plain, 5/16
13	176012	2 1	CLIP, Safety
14	1669241		CHAIN, 4-Link
15	1675232	1	SPRING
16	1678549	1	PIN, Pivot
17	1708115	1	PUSH BAR ASSY.
18	1603602	1	PIN, King
19	1704707	1	ROD, Latch
20	1686604	1	LIFT ARM ASSY.
			(Incl. Ref. No. 22 and Qty. 1 of Ref. No. 6)
21	1707542	1	ROD, Lift, (Electric Lift)
22	8181008	1	PlN, Round Hd., Drilled, 1/2 x 2-1/2
23	1960373	2	SCREW, Hex, Taptite, 5/16-18 x 1
24	1709813	2	BAR STOP




NOTE: Unless noted otherwise, use the standard hardware torque specification chart located on the inside back cover.

Ref. No.	Part No.	Qty.	Description
1	1678241	1	BELT
2	1916965	Š	LOCKWASHER, 3/8
3	162115	2	BELT STOP
4	1924940	7	WASHER, Plain, 5/16
5	171247	2	PULLEY
6	158227	3	SPACER
7	1923701	ī	CAPSCREW, Hex, 3/8-16 x 2
8	1704731	1	PIVOT, Bracket
9	1920415	2	CAPSCREW, Hex, 3/8-16 x 1-1/4
10	1916950	5	NUT, Hex, Full, 3/8-16
11	156306	2	PIN, Clevis, 3/8
12	1707455	1	SUPPORT ASSY., Rear
13	176012	4	CLIP, Spring
14	1704703	1	PUSHBAR ASSY.
15	1960244	1	SCREW, Whizlock, 3/8-16 x 2-3/4
16	1704732	1	SPACER
17	1666287	1	PULLEY ASSY, w/Bearing(Incl. Ref. Nos. 18, 19, 20)
18		1	PULLEY (Order Ref. No. 17)
19	927695	1	RING, Retaining
20	1705897	1	BEARING
21	1704707	1	ROD, Latch
22	1921971	1	CAPSCREW, Hex, 3/8-16 x 1-3/4
23	1666294	1	SPACER
24	105249	1	PIN, Clevis
25	1911386	2	WASHER
26	1960033	3	CLIP, Spring




NOTE: Unless noted otherwise, use the standard hardware torque specification chart located on the inside back cover.

Ref. No.	Part No.	Qty.	Description
	<del></del>		<u> </u>
1	1960033	2	CLIP, Spring
2	1665887	1	ROD, Lift (Manual Lift Only)
	1707542	ī	ROD, Lift (Electric Lift Only)
3	1928721	2	SETSCREW, 5/16 x 1/2
4	171011	1	SPRING
5	171679	1	GUIDE ASSY., Rod
6	8031007	2	COLLAR, Set
7	177565	2	CLIP, Frame
8	1920676	4	CAPSCREW, Hex, 7/16 x 1
9	1920415	2	CAPSCREW, Hex, 3/8-16 x 1-1/4 (Manual Lift Only)
10	174242	2	SPACER (Manual Lift Only)
11	1930650	4	LOCKNUT, Hex, Flange, 7/16-14
12	1916965	3	LOCKWASHER (Manual Lift Only)
13	1916950	3	NUT, Hex, Full, 3/8-16 (Manual Lift Only)
14	1930651	1	LOCKNUT, Hex, Full, 3/8-16
15	1960268	1	CARRIAGE BOLT, 3/8-16 x 1-1/4
16	1704743	1	TRUNION
17	1924940	1	WASHER, Plain, 5/16
18	1705838	1	GUIDE, Spring
19	1668282	í	SPRING
20	1704741	1	ROD ASSY., Adjustment
21	1686604	1	LIFT ARM ASSY.
			(Incl. Ref. No. 33 and Qty. 1 Ref. No. 1)
22	158227	1	SPACER
23	1921333	1	CAPSCREW, Hex, 5/16-18 x 1
24	1917372	1	NUT, Hex, Full, 5/16-18
25	1655651	1	PIN, Hitch
26	1919381	2	WASHER, Plain
27	1669241	1	CHAIN, 4-Link
28	1917356	1	LOCKWASHER, 5/16
29	1704757	1	BRACKET, Spring Anchor
30	176012	1	CLIP, Spring
31	1701600	2	REFLECTOR
32	1707522	1	ARM, Support
33	8181008	1	PIN, Round Hd., Drilled, 1/2 x 2-1/2
	· ·		



NOTE: Unless noted otherwise, use the standard hardware torque specification chart located on the inside back cover.


Ref.	Part		
No.	No.	Qty.	Description
1	1708211	1	COVER
2	1700763	1	ROD, Straight
3	1708098	ż	COTTER, Circle
4	1700866	1	SLEEVE, Plastic, Connecting
5	1708099	ì	CLAMP, Sleeve
6	1700758	i	TUBE, Support
7	1700768	2	HANDLE, Lift
8	1916964	4	LOCKWASHER, 1/4
9	1916622	4	NUT, Hex, 1/4-20
10	1923362	4	NUT, Lock, 5/16-18
11	176012	2	CLIP, Safety
12	1708212	1	HANDLE, Latch
13	177649	2	WASHER, Spring, Special, 5/16
14	1917372	1	NUT, Hex, Full, 5/16-18
15	1920161	1	NUT, Jam, 5/16-18
16	1700267	2	SPACER, Plastic, 5/16
17	1921677	4	CAPSCREW, Hex, 5/16-18 x 1-1/2
18	1920397	1	NUT, Nylon Insert 1/4 x 20
19	1921977	1	CAPSCREW, Hex, 5/16-18 x 1-1/4
20	1700761	1	ROD, Support
21	1921210	8	CAPSCREW, Hex, 3/8-16 x 1
22	102004	2	PIN, Clevis,1/2 x 1-1/4
23	1708213	1	FRAME
24	1924940	10	WASHER, Flat, 13/32
25	1930651	В	NUT, Hex, Lock, 3/8 -16
26	1676892	2	WHEEL, Swivel, 410/350-4
27	1922134	2	NUT, Hex, Lock, 1/2-13
28	1921176	2	CAPSCREW, Hex, 1/2-13 x 1-1/4
29	1700767	1	"U" BRACKET
30	1917372	3	NUT, Hex, 5/16-18
31	1917356	3	LOCKWASHER, 5/16
32	1918249	3	CAPSCREW, Slotted, Truss Hd., 5/16-18 x 3/4
33	1921958	4	CAPSCREW, Slotted, Truss Hd., 1/4-20 x 1/2
34	1708210	1	BOX
35	1700266	1	STRAP, Rubber, 6"
36	1700762	1	ROD, Frame
37	1919326	9	WASHER, 11/32 x 3/4 x .06
38	1708120	1	DECAL, Max. Capacity



NOTE: Unless noted otherwise, use the standard hardware torque specification chart located on the Inside back cover.


Ref. No.	Part No.	Qty.	Description
1	1708067	1	U-BRACKET, Hitch
2	1960379	2	NUT, Hex Lock, Esna, 1/2-13
3	1920328	2	CAPSCREW, Hex, 1/2-13 x 1-1/2
4	1707710	1	TUBE, Upper
5	1704854	1	TUBE, Middle
6	1707712	1	TUBE ASSY., Lower
7	1705063	2	CLIP, Spring
8	1673320	2	RIVET, Pop
9	1930531	6	SCREW, Truss Hd., 10-32 x 1/2
10	1910531	12	WASHER, Plain, 10
11	1928919	6	NUT, Hex & Washer Assy., 10-32
12	1960252	2	BOLT, Round Hd., Sq. Nk., 1/4-20 x 5/8
13	1930641	2	NUT, Hex, Flange, Lock, 1/4-20

\*\*2355




NOTE: Unless noted otherwise, use the standard hardware torque specification chart located on the Inside back cover.

Ref. No.	Part No.	Qty.	Description
1	1705783	1	HOOD
2	1703378	4	BASKET, Grass Collector
3	1930641	1	NUT, Hex, Flange, Lock, 1/4-20
4	1960252	1	CARRIAGE BOLT, 1/4-20 x 5/8
5	1705111	1	TUBE ASSY., Lower (For 44" Mower Deck) (Incl. Ref. Nos. 11 & 12)
	1705112	1	TUBE ASSY., Lower (For 50" Mower Deck) (Incl. Ref. Nos. 11 & 12)
6	1930531	2	SCREW, Truss Hd., #10-32 x 1/2
7	1910531	4	WASHER, Plain, #10
8	1928919	2	NUT, Hex, Washer Assy., #10-32
9	1707710	1	TUBE, Upper
10	1707691	1	SUPPORT, Tube
11	1705063	1	CLIP, Spring
12	1673320	2	RIVET, Pop
13	1921959	2	CAPSCREW, Hex, 1/4-20 x 5/8
14	1920397	2	NUT, Hex, Lock, Esna, 1/4-20
15	1705282	1	CORD




Ref. No.	Part	44" Mower	<del>-</del> -	
NO.	No.	Qty.	Qty.	Description
1	1708072	1	_	BAFFLE, Front, L.H.
	1708077	_	1	BAFFLE, Front, L.H.
2	1708069	1	_	BAFFLE, Front, R.H.
	1708075	_	1	BAFFLE, Front, R.H.
3	1708074	2	2	Deflector, Rubber
4	1708068	1	1	BAFFLE, Discharge
5	1931333	13	15	CARRIAGE BOLT, 5/16-18 x 3/4
6	1917356	15	17	LOCKWASHER, 5/16
7	1917372	15	17	NUT, Hex, 5/16-18
8	* 1707684	6	6	LEAF SHREDDERS
9	* 1919438	6	6	NUT, Hex, Plastite, 5/16-18
10	1708079	-	1	MOWER LIP, Rear (50" Only)

<sup>\*</sup> Not included with Mfg. Nos. 1692472 & 1692473. Parts are available as a kit, Part No. 1686609 (includes qty. 8 of ref. nos. 8 & 9)




NOTE: Unless noted otherwise, use the standard hardware torque specification chart located on the inside back cover.

Ref. No.	Part No.	Qty.	Description			
1	1713676	1	FRAME ASSY.			
2	1713677	i	GEAR BOX			
3	1922648	3	CAPSCREW, Hex, 3/8-16 x 4, Gr. 5			
4	1916965	5	LOCKWASHER, 3/8			
5	1916950	5	NUT, Hex, 3/8			
6	1713678	1	FAN ASSY.			
7	1713679	1	KEY, 8mm x 7mm x 35mm			
8	1960347	1	CAPSCREW, Hex, M8-1-1/4 x 25mm			
9	1917356	7	LOCKWASHER, 5/16			
10	1924940	7	WASHER, Plain, 5/16			
11	1713680	i	AUGER, 40°			
12	1713681	2	BUSHING, Side Mount			
13	1933260	4	SCREW, Lock, Flange, Whizlock, 3/8-16 x 3/4			
14	1930645	4	NUT, Hex, Flange, 2-Way Lock, 3/8-16			
15	1713682	1	SPROCKET			
16	1713683	1	Bushing			
17	1713684	1	SHEAR PLATE			
18	1928691	2	SETSCREW, Hex, Socket Cup Pt., 5/16-18 x 5/16			
19	1713685	1	SNAP RING, External			
20	1713686	1	KEY, 8mm x 35mm			
21	1713687	1	SHEAR BOLT, Fan, w/Nylon Nut, 5mm x .8 x 40mm			
22	1713688	1	COVER, Reduction, Plastic			
23	1713689	1	SHAFT, Driven			
24	1713690	1	SHEAR BOLT, Auger, w/Nylon Nut, 5mm x .8 x 45mm			
25	1713691	3	BEARING			
26	1713692	6	BEARING, Flange			
27	1931648	6	SCREW, Lock, Flange Whiz, 5/16-18 x 1/2			
28	1713693	1	CHAIN, #40 x 91 Links (without connecting link)			
29	1713694	1	GUARD, Chain, Auger			
30	1931332	6	CARRIAGE BOLT, 5/16-18 x 5/8			
31	1935048	6	NUT, Hex, Flange, 2-Way Lock, 5/16-18			
32	1713695	1	GUARD, Chain, Drive Shaft			
33	1713696	1	PULLEY, Idler			
34	1713697	1	ARM, Chain Adjuster			
35	1931335	6	CARRAIGE BOLT, 5/16-18 x 1			
36	1917372	6	NUT, Hex, 5/16-18			
37	1713698	1	SPROCKET, Idler			
38	1925125	2	WASHER, Plain, 7/16			
39	1921971	1	CAPSCREW, Hex Hd., 3/8-16 x 1-3/4			
40	1713699	1	PLATE, Support Bearing			
41	1713700	1	PULLEY ASSY, (Incl. Ref. No. 54)			
42	1713701	1	SHAFT, Driving			
43	905850	2	KEY, 3/16 x 3/16 x 1			
44	1713702	1	SPROCKET			
45	1928804	2	SETSCREW, Hex, Socket, 1/4-20 x 5/16			
46	1922130	1	CAPSCREW, Hex Hd., 3/8-16 x 2-3/4			
47	1713703	1	SPACER, Idler			
48	1713704	1	CHAIN, #40 x 40 Links (Incl. Ref. No. 53)			
49	1713705	1	EDGE, Cutting			
50	1960282	6	CARRIAGE BOLT, 5/16-18 x 3/4			
51	1923362	6	NUT, Hex, Centerlock, 5/16-18			
52	1713706	2	SKID SHOE			
53	1704893	1	LINK, Connecting			
54	1674333	2	SETSCREW, Pulley			




Ref. No.	Part No.	Qty.	Description
1	1713708	1	BRACKET, Pivot
2	1713709	ż	FLATBAR, Attaching
3	1923027	ž	CAPSCREW, Hex Hd., 7/16-14 x 1-3/4
4	1918199	8	LOCKWASHER, 7/16
5	1918213	8	NUT, Hex, 7/16-14
6	1713710	2	BRACKET, Support, Pivot
7	1713711	1	SUPPORT, Idler
8	1921210	2	CAPSCREW, Hex Hd., 3/8-16 X 1
9	1916965	3	LOCKWASHER, 3/8
10	1916950	3	NUT, Hex, 3/8-16
11	1713712	1	GUIDE, Belt
12	1713713	1	PULLEY, Idler
13	1921971	1	CAPSCREW, Hex Hd., 3/8-16 x 1-3/4
14	1713714	1	BRACKET, Lift Rod
15	1921212	2	CAPSCREW, Hex Hd., 7/16-14 x 1-1/2
16	1920677	4	CAPSCREW, Hex Hd., 7/16-18 x 1-1/4
17	1925125	2	WASHER, Plain, 7/16

NOTE: Components for Hitch, Part No. 1692040 or 1692041, are on pages 52 - 54.




NOTE: Unless noted otherwise, use the standard hardware torque specification chart located on the inside back cover.

Ref.	Part				
No.	No.	Qty.	Description		
1	1713715	1	CHUTE & DEFLECTOR ASSY.		
2	1677181	2	KNOB		
3	1713727	1	SUPPORT, Fixation		
4	960175	4	WASHER, Nylon,13/32 x 1 x 1/16		
5	1931337	2	CARRIAGE BOLT, 5/16-18 x 1-1/2		
6	1919438	2	NUT, Hex, Lock Esna, 5/16-18		
7	1713716	1	HAND GUARD		
8	1923341	4	CAPSCREW, Hex Hd., 1/4-20 x 3/4		
9	1919326	2	WASHER, Plain, 5/16		
10	1916964	10	LOCKWASHER, 1/4		
11	1916622	10	NUT, Hex, 1/4-20		
12	1713717	4	PLATE, Retaining		
13	1921958	6	CAPSCREW, Hex Hd., 1/4-20 x 1/2		
14	1916965	3	LOCKWASHER, 3/8		
15	1713718	1	SUPPORT, Worm		
16	1713719	1	RING, Nylon		
17	1713720	1	BUSHING, Plastic, 1-5/16		
18	1713721	1	WORM, Rotation, Clockwise		
19	1713722	1	BUSHING, Plastic, 1-11/16		
20	1713723	1	HANDLE		
21	1710434	1	GRIP, Handle		
22	1713724	1	HOOK, Handle		
23	1918196	1	CLIP, Hairpin, 3/32 x 1-7/8		
24	1713725	1	BRACKET, Support, Handle		
25	1713726	1	GROMMET, Plastic		
26	1920415	3	CAPSCREW, Hex Hd., 3/8-16 x 1-1/4		
27	1916950	3	NUT, Hex, 3/8-16		



Ref.	Part				
No.	No.	Qty.	Description		
i	1713728	1	BRACKET, Lifting, Manual		
2	1921525	1	CAPSCREW, Hex, 1/2-13 x 1-3/4		
3	1918431	2	WASHER, Plain, 1/2		
4	1916966	1	LOCKWASHER, 1/2		
5	1916951	1	NUT, Hex, 1/2-13		
6	1713729	1	PLATE, Anchoring		
7	1921960	2	CAPSCREW, Hex, 1/4-20 x 1		
8	1916964	2	LOCKWASHER, 1/4		
9	1916622	2	NUT, Rex, 1/4-20		
10	1713730	1	ROD, Push		
11	1713731	1	PIN, Clevis		
12	1918448	1	COTTER PIN, 3/32 x 1		
13	1713732	1	FORK, Threaded		
14	1713733	1	PIN, Clevis, 5/8 x 1-5/8		
15	1960033	1	CLIP, Hairpin, 1/8 x 2-9/16		
16	1713734	1	BRACKET, Fixation		
17	1713735	1	PLATE, Retaining		
18	<b>1920</b> 415	3	CAPSCREW, Hex, 3/8-16 x 1-1/4		
19	1916965	3	LOCKWASHER, 3/8		
20	1916950	3	NUT, Hex, 3/8-16		
21	1713736	1	SPRING		
22	1916964	1	LOCKWASHER, 1/4		
23	1916622	1	NUT, Hex, 1/4-20		
24	1713737	1	EYEBOLT, 1/4-20 x 4		
25	1713738	1	ROD, Extension (Electric Lift Only)		
26	1915726	1	NUT, Hex, 5/8-11 (Electric Lift Only)		



### 40" Snowthrower - Decal Group

Ref. No.	Part No.	Qty.	Description
1	1709685	1	DECAL, Danger (Blower Chute)
2	1709687	1	DECAL, Danger (Auger Blade)
3	1704774	1	DECAL, Caution (Rear Wheel Weights)
4		1	DECAL, OPEI (Not serviced)
5		1	SERIAL PLATE (Not serviced)
6	1713739	1	DECAL, Danger (Drive Belts)
7	1709686	1	DECAL, Danger (Operating Procedures)

## Notes

# TORQUE SPECIFICATIONS FOR STANDARD MACHINE HARDWARE TOLERANCE ±20%

SIZE	SAE GI	SAE GRADE #2		SAE GRADE #5		ADE #8
<u> </u>	In./Lbs. Ft./Lbs.	Nm,	In./Lbs. Ft./Lbs.	Nm.	In./Lbs. Ft./Lbs.	Nm.
8-32	19	2.1	30	3.4	41	4.6
8-36	20	2.3	31	3.5	43	4.9
10-24	27	3.1	43	4.9	60	6.8
10-32	31	3.5	49	5.5	68	7.7
1/4-20	66	7.6	8	10.9	12	16.3
1/4-28	76	8.6	10	13.6	14	19.
5/16-18	11	15.	17	23.1	25	34.
5/16-24	12	16.3	19	25.8	25	34.
3/8-16	20	27.2	30	40.8	45	61.2
3/8-24	23	31.3	35	47.6	50	68.
7/16-14	30	40.8	50	68.	70	95.2
7/16-20	35	47.6	55	74.8	80	108.8
1/2-13	50	68.	75	102.	110	149.6
1/2-20	55	74.8	90	122.4	120	163.2
9/16-12	65	88.4	110	149.6	150	204.
9/16-18	75	102.	120	163.2	170	231.2
5/8-11	90	122.4	150	204.	220	29 <del>9</del> .2
5/8-18	100	136.	180	244.8	240	326.4
3/4-10	160	217.6	260	353.6	386	525.
3/4-16	180	244.8	300	408.	420	571.2
7/8-9	140	190.4	400	544.	600	81 <del>6</del> .
7/8-14	155	210.8	440	598.4	660	897.6
1-8	220	299.2	580	788.8	900	1,224.
1-12	240	326.4	640	870.4	1,000	1,360.

#### NOTE:

- These torque values are to be used for all hardware excluding: locknuts, self-tapping screws, thread forming screws, sheet metal screws and socket head setscrews.
- 2. Recommended seating torque values for locknuts:
  - a. For prevailing torque locknuts use 65% of grade 5 torques.
  - b. For flange whizlock nuts (and screws) use 135% of grade 5 torques.
- Unless otherwise noted on assembly drawings all torque values must meet this specification.

### BOLT HEAD MARKING S.A.E, GRADE:







